



专注丝网 · 品质保障
Focus on wire mesh and brand assurance

Zturnbuilder



Contact Person: Alice



地址：中国上海浦东新区荷丹路88号

Address: 88 Hedan Road,
Pudong New Area, Shanghai, China



邮编：中国 200131

Postal Code: China. 200131



电话 / WhatsApp: +86 13601645638

+86 13601645638



Website: <https://zturnbuilder.com>

<https://zturnbuilder.com>

上海 · 中国
Shanghai, China

双丝护栏

DOUBLE WIRE FENCE

产品介绍PRODUCT INTRODUCTION

双丝护栏网是一种结构简单、用料少、加工费低、便于远程运输的护栏网，它的工程造价相对较低。这种护栏网用途广泛，适用于公路、铁路、机场、港口、体育场馆、园区、住宅小区、工业厂区等场所。

Double wire fence is a type of guardrail net with a simple structure, low material usage, low processing cost, and easy remote transportation. Its engineering cost is relatively low. This type of fence is widely used and suitable for places such as highways, railways, airports, ports, sports venues, parks, residential areas, industrial plants, etc.



产品特点PRODUCT FEATURES

双丝护栏具有网格结构、美观实用、景观美化等特点，此外，由于双丝护栏易运输和耐使用和没有特殊地形限制优势要求的特点，它适应于安装在山地、山腰、多风区域。

Double wire fence has the features of grid structure, beauty and practical, landscaping. In addition, because of the double fence features of easy transportation and installing without the limitations of special terrain. It is adjust to mountain, hillside and winding zones.

产品规格PRODUCT SPECIFICATIONS

产品信息 Products				
产品名称 Product Name	双丝护栏网 Double wire fence	立柱分类 Columnclassification	预埋立柱/底盘立柱 Pre embedded pillars/chassis pillars	
产品颜色 Product Color	草绿色 Grass green	材质 Material Quality	内部低碳冷拔丝 Internal low-carbon cold drawn wire	
立柱弯度 Column Curvature	有弯曲30° 30 degrees		外部浸塑处理 External immersion treatment	
产品尺寸 Product Size				
丝径(mm) Wire Diameter	网孔尺寸(mm) Mesh Size	外形尺寸(mm) External dimensions	网片尺寸(mm) Mesh Size	立柱（直径*高度*壁厚） Column
3.5	9*17	1.8*3m	1.75*2.92	48mm*1.5mm*2.1mm
4				48mm*1.5mm*2.1mm
4.5				48mm*1.5mm*2.1mm
5				48mm*1.5mm*2.1mm
5.5				48mm*2.0mm*2.1mm
6				48mm*2.0mm*2.1mm

双丝护栏造型美观，色彩多样，既具有围栏功能，又具有美化效果。

Double wire fence has attractive appearance, various colors, it not only has the fencing function but also has the beautify effect.



不需要任何固定部件，以顺序装配的方式安装，节省了大量的时间，提高了效率。

各部件质量优良，10年防腐，使围栏顺利运行。

这套护栏带门有一个独特的外观形成了一个完美的系统

专业安装图可供您轻松使用。

It do not need any fixed parts it is installed in a way of sequentia assembly, which saves lots of time and improves efficiency.

Each part with superior quality, and 10-year anti-corrosion to make the fence go well.

It is a perfect system to work with gate in a unique appearance.

Professional install drawing are available for your easy unders

双圈护栏
DOUBLE RING FENCE

产品介绍 PRODUCT INTRODUCTION

双圈护栏是用冷拔低碳钢丝焊接成网筒状卷边与网面一体，采用镀锌进行防腐处理，具有很强的耐腐蚀性，然后进行喷、浸塑，各种颜色的喷、浸塑；最后连接附件与钢管支柱固定。双圈护栏被广泛应用于工厂、仓库、学校、体育场馆、机场、公园等场所，用于围栏、隔离、安全防护等用途。其坚固耐用的特性使其成为许多场所首选的围栏产品

Double ring fence is welded with Cold-Drawn Low-Carbon Steelwire into a rollof cylindrical curling and mesh surface in one,using galvanized anti-corrosion treatment,with strong corrosion resistance,and then spraying, dipping, various colors of spraying,dipping;finally connecting accessories and steel pipe pillar fixed.Double ring fence is widely used in factories, warehouses, schools, sports venues, airports, parks and other places for fencing, isolation, safety protection and other purposes. Its sturdy and durable characteristics make it the preferred fence product for many places.



材 质Q195/Q235 低碳冷拔钢丝浸塑丝径3.5--5mm 网孔50mmX200mm(长方孔)
MaterialQ195/Q235 low carbon cold drawn steel wire diameter3.5--5mm Mesh hole50mmx200mm

机场护栏
AIRPORT FENCE

产品介绍 PRODUCT INTRODUCTION

机场护栏是由低碳钢丝焊接的网片，立柱，刺绳或者刀片刺绳和其他零部件组成。这是专门为机场设计的新式护栏，它的主要功能是保障机场安全，防止非法闯入或破坏。

The airport fence is made with low carbon steel wire welded panel post,barbed wire or razor wire and other accessories.This is a new type of guardrail designed for the airport. Its main function is to ensure airport security and prevent illegal intrusion or destruction.



产品规格 PRODUCT SPECIFICATIONS

	网格	线框厚度	表面处理	面板宽度	面板高度	围栏高度
规格	50x100mm 55x100mm	4.00mm 4.50mm 5.00mm	镀锌+喷塑	2.50m 3.00m	2000mm	2700mm
					2300mm	3200mm
					2600mm	3700mm
					530mm	2700mm
面板					630mm	3200mm
					730mm	3700mm

监狱护栏

PRISON FENCE

产品介绍 PRODUCT INTRODUCTION

监狱护栏被称为“Y型安全防护监狱围栏”,由V形支撑柱、钢筋焊接网、安全防盗连接器和热镀锌网箱组成,防护水平很高,近年来在监狱、机场、民用建筑中得到广泛应用,基地安全性高。

The prison fence is called as "the Y security guard" prison steel net wall is composed of V support column, reinforced welding nets, safety anti-theft connector and hot galvanized cage strength and safety razor defensive level is very high, in recent years, is widely used in prison, airports, military bases high safety.



产品规格 PRODUCT SPECIFICATIONS

	网格	线框厚度	表面处理	面板宽度	面板高度	围栏高度
窗格	50x100mm 55x100mm	4.00mm	镀锌+喷塑	2.50m 3.00m	2000mm	2700mm
		4.50mm			2300mm	3200mm
		5.00mm			2600mm	3700mm
面板					530mm	2700mm
					630mm	3200mm
					730mm	3700mm

监狱护栏主要用于监狱、守岗、边防、围区、军防等危险区域的防护,监狱围栏规格可以根据需要进行订单生产。

Prison fence is mainly used in prison, defend the posts, frontier defense, surround the area, military defense protective contour dangerous areas of protection. Prison fence specifications according to need to defend the order processing.

公路护栏

HIGHWAY FENCE

产品介绍 PRODUCT INTRODUCTION



产品介绍 PRODUCT INTRODUCTION

公路护栏是设置于公路行车道外侧或中央分隔带的一种带状吸能结构,其主要作用是通过自体变形或车辆爬升来吸收碰撞能量,从而降低乘员和车辆的伤害程度。这种设施在车辆碰撞时能够有效地改变车辆的行驶方向,阻止车辆越出路外或进入对向车道,最大程度地减少对乘员的伤害。

Highway fence is a belt shaped energy absorbing structure installed on the outside or central divider of the highway lane. Its main function is to absorb collision energy through self deformation or vehicle climbing, thereby reducing the degree of injury to passengers and vehicles. This facility can effectively change the direction of vehicle travel in the event of a collision, preventing vehicles from crossing the road or entering the opposite lane, and minimizing harm to passengers.

产品规格 PRODUCT SPECIFICATIONS

公路护栏网主要规格如下:

网子尺寸: 2.3mX3m上面30cm的30°折弯

网格大小: 75mmX150mm 50mmX-100mm 80mmX160mm

边框规格: 20X30X1mm 方管表面处理: 绿色浸塑。

The main specifications of highway fence are as follows:

30 degree bending mesh size of 30cm above 2.3 mX3m

mesh size: 75 mm X150 mm 50mm X100 mm 80mm X160mm

frame size: 20X30X1 mm square pipe surface treatment PVC coated green color.

锌钢护栏

ZINC STEEL FENCE

产品介绍 PRODUCT INTRODUCTION

锌钢护栏又称钢栅栏,铁艺装饰护栏,网片是用高抗拉立柱和横杆制成,并且可以在各种尺寸和样式中使用。广泛应用于别墅、社区、花园、学校、工厂及其他花园、草坪、工矿企业、金融机构、体育场馆、会议中心、广场、道路、阳台、住宅使用。

Zinc steel fence is also known as steel picket fence, ornamental steel fence. The panels are manufactured using the highest-strength steel pickets and rails, and are available in a wide range of sizes and styles. Widely used in villas, community gardens, schools, factories and other flowerbeds, lawns, industrial and mining enterprises, financial institutions, sports stadiums, convention centers, squares, roads, balconies, residential use.



产品规格 PRODUCT SPECIFICATIONS

围栏 Rail tube	立管 Vertical tube	60 钢柱 60 Steel Column	80 钢柱 80 Steel Column	高度 Height
45*45*1.2mm	25*25*1.0mm	60*60*1.5mm	80*80*2.0mm	1.2m/1.5m/1.8m/2.1m
40*40*1.2mm	19*19*1.0mm	60*60*1.5mm	80*80*2.0mm	1.2m/1.5m/1.8m/2.1m
32*32*1.2mm	16*16*1.0mm	60*60*1.5mm	80*80*2.0mm	1.2m/1.5m/1.8m/2.1m



市政护栏

MUNICIPAL FENCE

产品介绍 PRODUCT INTRODUCTION

市政护栏又叫做城市交通镀锌喷塑钢护栏。它美观新颖,易安装,安全可靠,价格优惠。适用城市交通要道、高速公路中间绿化隔离带、桥梁、二级公路、乡镇公路及各公路收费口等的隔离。

Municipal fence are also known as urban traffic galvanized spray coated steel guardrails. It is beautiful, innovative, easy to install, safe and reliable, and has a favorable price. It is applicable to the isolation of urban traffic arteries, highway median greenbelts, bridges, second-class highway, township roads and toll gates of various highways.

产品特点 PRODUCT FEATURES

设计合理,结构稳固,能够承受各种外力的冲击,有效保护行人和车辆的安全。市政护栏的材质耐用,不易损坏,能够在恶劣的天气和环境下长时间保持性能稳定。市政护栏还注重美观与实用性的结合,不仅提升了城市道路的整体形象,还为市民带来了更加舒适的出行体验。

Reasonable design, stable structure, able to withstand various external impacts, effectively protecting the safety of pedestrians and vehicles. The material of municipal fence is durable, not easily damaged, and can maintain stable performance for a long time in harsh weather and environments. Municipal fence also emphasize the combination of aesthetics and practicality, which not only enhances the overall image of urban roads, but also brings a more comfortable travel experience to citizens.



铁艺装饰护栏

IRON ORNAMENTAL FENCE

产品介绍 PRODUCT INTRODUCTION

铁艺装饰护栏是一种由低碳钢管和铁管制成的装饰性护栏。通常用于室外环境，如道路围栏、阳台护栏、铁艺防盗窗等。这种护栏不仅具有装饰性，还能提供一定的安全保护，是城市公路两侧、工厂、车间、仓库、停车场、商业区、公共场所等场合中常见的设施之一。

Iron ornamental fence is a decorative guardrail made of low-carbon steel pipes and iron pipes, usually used in outdoor environments such as road fences, balcony guardrails, iron anti-theft windows, etc. This type of guardrail not only has decorative properties, but also provides certain safety protection, and is one of the common facilities on both sides of urban roads, factories, workshops, warehouses, parking lots, commercial areas, public places, and other occasions. |

产品规格 PRODUCT SPECIFICATIONS

材质：锻铁、铸铁、不锈钢。

颜色：黑色、白色和古铜色是流行色，其他颜色也可供选择。

尺寸：接受定制。

表面处理：热镀锌；粉末涂料；防锈漆。

焊接：全焊接。

安装：我们将把组件留给你，安装起来很容易。

我们可以提供多种装饰围栏，用于花园、路边、公路、铁路和许多领域，它可以是热浸，电镀锌+PVC涂层。

我们可以根据您的要求做任何设计和尺寸

Material: Wrought Iron, Cast Iron, stainless Steel.

Color: Black, White and Antique Bronze colour is popular colors. Other colors also for your choice.

Size: Accept custom.

Surface Treatment: Hot dip galvanizing; powder coating; anti-rust painting.

Welding: Full welding.

Installation: We will leave the components to you, and it is easy for you to install.

We can supply many kinds of ornamental fence, used in garden, road beside, highway, railway and many field.

It can be hot dipped, electro galvanized+PVC coated.

We can do any design and size according to your requirement



园艺护栏

HORTICULTURAL FENCE

产品介绍 PRODUCT INTRODUCTION

园艺护栏是电焊网护栏的一种，它不仅是一个装饰性的栅栏，而且是一个理想的实用型焊接网栅栏。园艺护栏是一种特殊的双金属丝栅栏，它在双网梯栏的基础上，具有较强的装饰性。

Horticultural fence is a rigid welded mesh fence. It is not only a decorative fence but also a ideal practicality welded mesh fence. Prestige W fence is a special twin wire fence that inherit rigid of twin wire fence on the basic of advantage of twin wire fence with more decorative.



产品规格 PRODUCT SPECIFICATIONS

围栏高度 Fence Height (mm)	面板：宽高 (mm) Panel: WXH (mm)	立柱高度 Post Height	筛孔 Mesh Opening	直径 Diameter
900mm 1100mm	2015mm*886mm 2015mm*1086mm	1100/1400mm 1300/1600mm		
1300mm 1500mm	2015mm*1286mm 2015mm*1486mm	1500/1800mm 1700/2000mm	65mm*200mm	5mm 6mm
1700mm 1900mm	2015mm*1686mm 2015mm*1886mm	1900/2200mm 2100/2400mm		
2100mm	2015mm*2086mm	2300mm/2600mm		
表面处理：镀锌PVC粉末涂层黑色或深绿色 Finish: Galvanized with PVC powder coating Black or Dark green				

临时护栏

TEMPORARY FENCE

产品介绍 PRODUCT INTRODUCTION

临时护栏，又可以称为移动围栏，临时隔离栏，移动式安全围栏网。临时护栏网是适用临时隔离，临时隔断，临时围网，是灵活性极强的产品。
Temporary fence, also known as mobile fences, temporary isolation barriers, or mobile safety fence nets.
Temporary fence net is a highly flexible product suitable for temporary isolation, partition, and enclosure.



产品规格 PRODUCT SPECIFICATIONS

1. 围栏整体强度较高，装饰效果明显；
2. 焊接点牢固，不易切割；
3. 优质塑料浸渍10年，防锈；
4. 环境友好型产品，最终可以回收利用；
5. 快速和容易安装，可以很容易重新定位。

1. The fence has comparatively high overall strength and very apparent decorative effect;
2. The welding spots are firm enough against cutting;
3. High grade plastic dipping with ten years guarantee rust resistance;
4. Environmentally friendly products. Can be ultimately recyclable.
5. Quick and easy to install and can be easily re-located.



牧场围栏

RANCH FENCE

产品介绍 PRODUCT INTRODUCTION

牧场围栏具有坚固耐用、安全可靠、易于组装和经济实惠等优势，适用于各种类型的牧场，包括草原牧场、山地牧场、草地牧场等。此外，围栏还可以用于圈定比赛场地、保护比赛安全等方面。
Ranch fences have the advantages of being sturdy, durable, safe, reliable, easy to assemble, and cost-effective, and are suitable for various types of pastures, including grassland pastures, mountain pastures, grassland pastures, etc. In addition, fences can also be used to delineate competition venues, protect competition safety, and other aspects.

产品特点 PRODUCT FEATURES

牧场围栏结构新颖，坚固精密，网面平整，网眼均匀，整体性强，韧性好，不并拢、防滑、抗压、防风、防雨，无论当地自然条件多么恶劣，使用寿命一般长达几十年。

The ranch fence has a novel structure, sturdy and precise, with a flat and even mesh surface, strong overall integrity, high toughness, non closing, anti slip, pressure resistant, windproof, and rainproof. No matter how harsh the local natural conditions are, the service life is generally several decades.



产品介绍 PRODUCT INTRODUCTION

养殖网是一种专为养殖业设计的防护围栏，具有多种规格和用途，以满足不同养殖场景的需求。养殖网的应用非常广泛，不仅用于传统的养殖业，如鸡、鸭、鹅等家禽的圈养，还广泛应用于种植、果园、林场、公路铁路等大面积场地的围栏，它的柔韧性使其在使用过程中具有良好的可塑性，能够适应各种环境和动物的行为模式，确保了使用的安全性和有效性。


Breeding mesh is a protective fence designed specifically for the breeding industry, with multiple specifications and uses to meet the needs of different breeding scenarios. The breeding mesh nets are very extensive, not only used in traditional animal husbandry such as captive breeding of poultry such as chickens, ducks, geese, but also widely used in fencing of large areas such as planting, orchards, forest farms, highways and railways. Its flexibility gives it good plasticity during use, allowing it to adapt to various environments and animal behavior patterns, ensuring safety and effectiveness of use.



产品介绍 PRODUCT INTRODUCTION

养殖笼是一种用于饲养动物的设备，其设计和材质根据饲养的动物种类和饲养目的而有所不同。养殖笼可以用于饲养多种动物，包括鸡、兔子、鱼类等。

A breeding cage is a device used for raising animals, and its design and material vary depending on the type of animal being raised and the purpose of raising it. Breeding cages can be used to raise various animals, including chickens, rabbits, fish, etc.



产品特点 PRODUCT FEATURES

养殖笼的优势在于其结构合理、通风透气、安全可靠。它可以有效地防止动物之间的交叉感染，同时又能保证动物的健康和生长。此外，笼网还具有高强度、耐腐蚀、易清洁等优点，可以降低养殖成本和维护工作量。

The breeding cage cage nets lie in their reasonable structure, ventilation, safety, and reliability. It can effectively prevent cross infection between animals while ensuring their health and growth. In addition, cage nets have the advantages of high strength, corrosion resistance, and easy cleaning, which can reduce breeding costs and maintenance workload.

种植网

PLANTING MESH


产品介绍 PRODUCT INTRODUCTION

种植网是一种专门为植物攀爬和生长设计的特殊铁丝网或其他金属网，它在园艺和农业领域有着广泛的应用，通过植物的攀爬和覆盖，不仅增加了绿意，还提高了环境的生态效益和美观度。

Planting mesh is a special type of wire mesh or other metal mesh designed specifically for plant climbing and growth. It has a wide range of applications in horticulture and agriculture. By climbing and covering plants, it not only increases greenery, but also improves the ecological benefits and aesthetics of the environment.

种植网的设计考虑到了耐用性和实用性，采用了高效浸塑技术，大大增加了围栏网的养殖年限。这种技术不仅提高了种植网的耐用性，还增强了其防腐、防水性能。

The design of the planting mesh takes into account durability and practicality, and adopts efficient dipping technology, greatly increasing the breeding life of the fence net. This technology not only improves the durability of the planting net, but also enhances its anti-corrosion and waterproof performance.



产品特点 PRODUCT FEATURES

种植网设计新颖、美观大方、结构紧凑、牢固、组合灵活、安装拆卸方便、易管理。

The planting mesh design is innovative, aesthetically pleasing, compact in structure, sturdy, flexible in combination, easy to install and disassemble, and easy to manage.

PVC马场护栏

PVC HORSE FENCE



产品介绍 PRODUCT INTRODUCTION

PVC马场护栏是一种专为马场设计的护栏，通常采用白色，也被称为欧式护栏或塑钢护栏。这种护栏因其安全、环保的特性，被广泛应用于赛马场、训练场、马匹饲养基地等场所。

PVC horse fence is a type of guardrail designed specifically for racecourses, usually in white, also known as European style guardrail or plastic steel guardrail. This type of guardrail is widely used in places such as racetracks, training grounds, and horse breeding bases due to its safety and environmental protection characteristics.



牛栏网

CATTLE FENCE

产品介绍 PRODUCT INTRODUCTION

牛栏网又称草原围栏,是采用高强度热镀锌钢丝编织而成的网状围栏。织造工艺使织物更加灵活、通用,无需打孔或扩大操作。它可以容易地制造成不同的形状和设计,开口可以是方形、矩形或有间距的设计。

Cattle fence also named prairie fence,cattle fence,grassland fence and tock fence is a kind of woven mesh fencing which is produced with high tensile strength hot-dipped galvanized steel wire.The weaving process makes the fabrics more flexible and universally without perforating or expanding operations.It can be easily fabricated into different shapes and designs,the opening can be square,rectangular or spacing.

产品特点 PRODUCT FEATURES

牛栏网结构简单、安装方便、耐用性强、维护成本低,以及具有优良的抗拉伸性和抗腐蚀性。牛栏网还具有优良的韧性、高强度、新颖的结构设计、坚固精密的网面平整等特点,这些特性使得牛栏网在养殖业中成为不可或缺或缺的设施之一,广泛应用于牧场围栏,以分隔不同品种的牲畜,防止它们互相干扰和传染疾病。

The Cattle fence has a simple structure, easy installation, strong durability, low maintenance cost, and excellent tensile and corrosion resistance. The cattle fence also has excellent toughness, high strength, innovative structural design, and a sturdy and precise net surface. These characteristics make the cattle fence an indispensable facility in the breeding industry, widely used in ranch fences to separate different breeds of livestock, prevent them from interfering with each other and spreading diseases.



产品规格 PRODUCT SPECIFICATIONS

序号 Serial Number	规格网目 Specification mesh		总重 (kg) Total weight	丝径 (mm) wire diameter	内丝丝径 (mm) wire diameter	卷径 (mm) Roll diameter
	型号 Model	规格 specifications				
1	7/150/813/50	102*114*127*140*152*178	19.3	2.5	2.0	280
2	8/150/813/50	85 (75) *89*102*114*127*140*152	20.8	2.5	2.0	280
3	8/150/902/50	89*102*114*127*140*152*178	21.6	2.5	2.0	280
4	8/150/1016/50	102*114*127*140*152*178*203	22.6	2.5	2.0	280
5	8/150/1143/50	114*127*140*152*178*203*229	23.6	2.5	2.0	280
6	9150/991/50	87 (75) *89*102*114*127*140*152*178	23.9	2.5	2.0	280
7	9/150/1245/50	102*114*127*140*152*178*203*229	26.0	2.5	2.0	280
8	10/150/1194/50	89(75)*89*102*114*127*140*152*178*203	27.3	2.5	2.0	280
9	10/50/1334/50	89*102*114*127*140*152*178*203*229	28.4	2.5	2.0	280
10	11/150/1422/50	89 (75) *89*102*114*127*140*152*178*203*229	30.8	2.5	2.0	280


钢筋网

REINFORCING MESH

产品介绍 PRODUCT INTRODUCTION

钢筋网,也被称为钢筋焊接网、钢筋焊网、钢筋网片等。钢筋网的主要用途包括但不限于工业与民用房屋的梁柱楼板、屋盖、墙体、混凝土路面、桥面铺装、机场跑道、隧道衬砌、箱涵、码头地坪、预制构件等领域。


Reinforcing Mesh, also commonly known as welded steel mesh, welded steel mesh, steel mesh sheet, etc. The main uses of steel mesh include but are not limited to beams, columns, floors, roofs, walls, concrete pavements, bridge deck paving, airport runways, tunnel linings, box culverts, dock floors, prefabricated components, and other fields of industrial and civil buildings.



产品特点 PRODUCT FEATURES

钢筋网的产品特点主要包括高强度和刚度、良好的耐久性和耐腐蚀性、安装简便、良好的透光性能、防护作用强、经济性和环境友好性。

The product characteristics of reinforcing mesh mainly include high strength and stiffness, good durability and corrosion resistance, easy installation, good transparency, strong protective effect, economy, and environmental friendliness.



沟槽网

REINFORCING TRENCH MESH

产品介绍 PRODUCT INTRODUCTION

沟槽防护网是一种安装在水沟、渠道等地方的防护设施,主要起到保护沟槽、防止堵塞等作用。经过大量实践表明,安装沟槽防护网可以解决沟槽淤积、杂草占据、塞积等环境问题,保障良好的淤积环境,提高环境质量,增加生态资源。因其具有坚固、耐用、经济等特点,得到了广泛的应用和推广。

Reinforcing Trench Mesh is a protective facility installed in places such as ditches and channels, mainly used to protect trenches and prevent blockages. Extensive practice has shown that installing reinforcing Trench Mesh can solve environmental problems such as trench siltation, weed occupation, and blockage, ensuring a good siltation environment, improving environmental quality, and increasing ecological resources. Due to its sturdy, durable, and economical characteristics, it has been widely used and promoted.



产品规格 PRODUCT SPECIFICATIONS

由CRB550(550MPa)肋线制成的沟槽网,加宽的沟槽网产品有6米长,有3mm,4mm,5mm和6mm,还有8mm,11mm和12mm的丝。它长而窄的混凝土加固网,具有连续联合加固,嵌入在砌筑墙的水平砂浆接头中。专门用于居住在战壕、道路或其他狭窄空间的住宅。

Reinforcing Trench Mesh made from CRB550(550MPa) ribbed wires. The reinforcing trench mesh products all come 6.0m long, available in 3-Bar, 4-Bar, 5-Bar and 6-Bar, as well as 3, 4, 5, 6, 8, 11 and 12mm wires. Its long narrow sheets of concrete reinforcing mesh, has the continuous lengths of joint reinforcement that are embedded into the horizontal mortar joints of masonry walls. Used specifically for residential footing trenches, paths or other narrow spaces.

钢格板
STEEL GRATING

产品介绍 PRODUCT INTRODUCTION


钢格板是用扁钢按照一定的间距和横杆进行交叉排列，通过压焊机或者人工将其焊接成中间带有方形格子的一种钢铁制品。这种制品因其通风、采光、散热、防滑、防爆等性能，被广泛用于水沟盖板、钢结构平台板、钢梯踏步板等场合。此外，钢格板还可以采用不锈钢制作，具有更强的耐腐蚀性，适用于更加恶劣的环境。

Steel grating is a type of steel product made of flat steel arranged in a cross pattern with horizontal bars at a certain distance, and welded into a square grid in the middle by a pressure welding machine or manually. This type of product is widely used in situations such as ditch cover plates, steel structure platform plates, steel ladder step plates, etc. due to its ventilation, lighting, heat dissipation, anti slip, and explosion-proof properties. In addition, steel grating can also be made of stainless steel, which has stronger corrosion resistance and is suitable for more harsh environments.

产品特点 PRODUCT FEATURES

钢格板是用扁钢按照一定的间距和横杆进行交叉排列，通过压焊机或者人工将其焊接成中间带有方形格子的一种钢铁制品。这种制品因其通风、采光、散热、防滑、防爆等性能，被广泛用于水沟盖板、钢结构平台板、钢梯踏步板等场合。此外，钢格板还可以采用不锈钢制作，具有更强的耐腐蚀性，适用于更加恶劣的环境。

Steel grating is a type of steel product made of flat steel arranged in a cross pattern with horizontal bars at a certain distance, and welded into a square grid in the middle by a pressure welding machine or manually. This type of product is widely used in situations such as ditch cover plates, steel structure platform plates, steel ladder step plates, etc. due to its ventilation, lighting, heat dissipation, anti slip, and explosion-proof properties. In addition, steel grating can also be made of stainless steel, which has stronger corrosion resistance and is suitable for more harsh environments.



产品规格 PRODUCT SPECIFICATIONS

尺寸和厚度：钢格板的长度有1000mm、1200mm、1500mm等，宽度则有500mm、600mm、1000mm等多种选择。厚度根据使用环境和承载要求有所不同，常见的有2mm、3mm、4mm等。

网格规格：网格规格有50mm×50mm、100mm×50mm、100mm×100mm等。

表面处理：热镀锌

此外，钢格板的材质可以是Q235A或304不锈钢，并且可以根据需求进行定制。


Size and thickness: The length of the steel grating is 1000mm, 1200mm, 1500mm, etc., and the width is available in multiple options such as 500mm, 600mm, 1000mm, etc. The thickness varies depending on the usage environment and load-bearing requirements, commonly including 2mm, 3mm, 4mm, etc.

Grid specifications: Grid specifications include 50mm x 50mm, 100mm x 50mm, 100mm x 100mm, etc.

Surface treatment: hot-dip galvanizing

In addition, the material of the steel grating can be Q235A or 304 stainless steel, and can be customized according to requirements.


格栅厚度 (mm) Grille Thickness	方格壁厚(mm) Square Wall Thickness	上肋宽(mm) Upper Rib Width	下肋宽(mm) Lower Rib Width	长×宽(mm) Length x Width	透孔率% Penetration Rate	重量 kg/平方 Weight kg/Square Meter
100	7-8	8	7	1220*3660	69	45
65	7-8	8	7	1030*4040	69	35
50	7-8	8	7	1200*3660	64	24
45	7-8	8	7	1220*3600	64	23
40	7-8	8	7	1220*3600	64	22
38	7-8	7	6	1220*3600	69	21
35	6-7	7	6	1220*3600	69	18
30	6-7	7	6	1220*3600	66	16
28	6-7	7	6	1220*3600	66	15.5
25	6-7	7	6	1220*3600	64	14.5



产品介绍 PRODUCT INTRODUCTION

砖带网,也被称为压墙筋、梯子筋或拉结网片,其名称在不同地区有所差异。这种材料可以进一步细分为砖带网片和砖带网卷。砖带网片包括压顶焊砖带网和压焊砖带网,它们主要用于楼房加固,特别是在防止墙体裂缝方面表现出色。此外,砖带网卷通常用于出口。


Brick belt mesh, also known as wall reinforcement, ladder reinforcement or tie mesh, has different names in different regions. This material can be further subdivided into brick belt mesh sheets and brick belt mesh rolls. Brick belt mesh includes top welded brick belt mesh and pressure welded brick belt mesh, which are mainly used for building reinforcement, especially in preventing wall cracks. In addition, brick belt mesh rolls are usually used for export.



产品规格 PRODUCT SPECIFICATIONS

砖带网主要采用热镀锌板作为原料,这是一种常见的用于建筑材料的防腐处理方式,可以有效地防止材料腐蚀,延长使用寿命。厚度通常在0.35mm到0.5mm之间,这取决于具体的产品和用途需求,长度可以根据具体需求定制,常见的长度包括17m、20m、25m、30m、50m等常见的宽度有6cm、10cm、15cm、20cm、25cm、30cm等,可以根据具体需求进行定制。

Brick belt mesh mainly uses hot-dip galvanized sheet as raw material, which is a common anti-corrosion treatment method for building materials, which can effectively prevent material corrosion and extend service life. The thickness is usually between 0.35mm and 0.5mm, depending on the specific product and usage requirements. The length can be customized according to specific needs, including 17m, 20m, 25m, 30m, 50m, etc. Common widths include 6cm, 10cm, 15cm, 20cm, 25cm, 30cm, etc., which can be customized according to specific needs.



产品介绍 PRODUCT INTRODUCTION

电焊网又称外墙保温铁丝网、镀锌铁丝网、镀锌电焊网、钢丝网、排焊网、碰焊网、建筑网、外墙保温网、装饰网、铁丝网、方眼网、筛网、防裂网,是用优质低碳钢丝排焊而成,然后再冷镀(电镀)、热镀、PVC包塑等表面钝化、塑化处理。达到网面平整、网目均匀、焊点牢固、局部机加工性能良好、稳定、耐候性好、防腐性好。

Welded wire mesh, also known as external wall insulation wire mesh, galvanized wire mesh, galvanized welded wire mesh, steel wire mesh, welding mesh, collision welding mesh, building mesh, external wall insulation mesh, decorative mesh, wire mesh, square mesh, screen mesh, crack prevention mesh, is made by welding high-quality low-carbon steel wire, and then surface passivation and plasticization treatment such as cold plating (electroplating), hot plating, PVC coating, etc. Achieve a smooth mesh surface, uniform mesh size, firm solder joints, good local machining performance, stability, good weather resistance, and good corrosion resistance.



产品规格 PRODUCT SPECIFICATIONS

材质: 低碳钢丝, 不锈钢丝

编织特点:

先焊后热镀

先热镀后焊接

先焊后电镀

先电镀后焊接

PVC 涂塑

Material:

Low carbon steel wire, stainless steel wire

Weaving and characteristics:

Hot dipped galvanizing after weaving Weaving

with hot dipped galvanized iron wire

Electric galvanizing after weaving

Weaving with electric galvanized iron wire


PVC coated welded wire mesh

开孔 Opening		线径 Wire Diameter
英寸 Inch	毫米 Millimeter	
1/4" x 1/4"	6.4mmx6.4mm	BWG24-22
3/8" x 3/8"	10.6mmx10.6mm	BWG22-19
1/2" x 1/2"	12.7mmx12.7mm	BWG23-16
5/8" x 5/8"	16mmx16mm	BWG21-18
3/4" x 3/4"	19.1mmx19.1mm	BWG21-16
1" x 1/2"	25.4mmx25.4mm	BWG21-16
1 1/2" x 1 1/2"	38mmx38mm	BWG19-14
1" x 2"	25.4mmx12.7mm	BWG16-14
2" x 2"	50.8mmx50.8mm	BWG15-12
2" x 4"	101.6mmx101.6mm	BWG15-12
4" x 4"	101.6mmx152.4mm	BWG15-12
4" x 6"	101.6mmx152.4mm	BWG15-12
6" x 6"	152.4mmx152.4mm	BWG15-12
6" x 8"	152.4mmx203.2mm	BWG14-12

产品介绍 PRODUCT INTRODUCTION

电焊网片是一种采用优质低碳钢丝或不锈钢丝通过自动化焊接设备焊接而成的网状产品，具有极强的防腐性和抗氧化性。它广泛应用于工业、农业、建筑、交通运输等多个领域，包括但不限于护栏、装饰、机械防护等用途。

Welded Wire Mesh Panel is a mesh product made by welding high-quality low-carbon steel wire or stainless steel wire through automated welding equipment, with extremely strong corrosion and oxidation resistance. It is widely used in various fields such as industry, agriculture, construction, transportation, etc., including but not limited to guardrails, decoration, mechanical protection, and other applications.



产品规格 PRODUCT SPECIFICATIONS

产品介绍：电焊网片，卷状长可达30米，宽0.5-3米。

种类：不锈钢网片、黑铁丝网片、镀锌铁丝网片、涂塑网片、带框网片。

富有生命力颜色的网片，被广泛用于展览会、样品架等。

普通网片用于建筑行业作舒乐板网和隔断网，是高层新型建筑的理想材料。

产品特点：防腐、防老化、抗晒、耐候等特点。防腐形式有电镀、热镀、喷塑、浸塑。

Welded wire mesh Panel can be made of superior quality welded mesh, electro galvanized, hot-dipped galvanized. It is also supplied in plain steel without galvanizing to save cost. The wire fabric is made up of steel wires arranged in parallel fashion in two orthogonal directions, with the points of contact being welded between the wires by electrical welding process (spot welding) by welding machine.

产品介绍 PRODUCT INTRODUCTION

舒乐板网是一种新型建筑墙体材料，它可替代砖墙作各种承重墙、非承重墙及楼板、阳台等。它具有扩大建筑物使用面积(10%-15%)、隔热、隔音、抗震、防水、施工简单、自重轻等特点，同时大大降低了工程造价。

Reinforcing mesh is a new type of building wall material that can replace brick walls for various load-bearing walls, non load-bearing walls, floor slabs, balconies, etc. It has the characteristics of expanding the usable area of buildings (10% -15%), thermal insulation, sound insulation, earthquake resistance, waterproofing, simple construction, light weight, etc., while greatly reducing the project cost.



产品规格 PRODUCT SPECIFICATIONS

尺寸：舒乐板网的尺寸有1M×2M、1.2M×2.4M、1.2M×3M、1.25M×6M、1.5M×6M等。

丝径：丝径规格有1.80MM、1.90MM、2.00MM等。

网孔：网孔规格为50×50MM。

净重：不同尺寸的舒乐板网的净重不同，1M×2M，丝径1.80MM时的净重为1.7KG，以此类推，其他尺寸和丝径组合下的舒乐板网也有相应的净重。

Size: The dimensions of Reinforcing mesh include 1M × 2M, 1.2M × 2.4M, 1.2M × 3M, 1.25M × 6M, 1.5M × 6M, etc.

Wire diameter: The wire diameter specifications include 1.80MM, 1.90MM, 2.00MM, etc.

Mesh size: The mesh size is 50 × 50MM.

Net weight: The net weight of different sizes of Reinforcing mesh varies. When the wire diameter is 1.80MM, the net weight is 1.7KG, and so on. Reinforcing mesh of other sizes and wire diameter combinations also have corresponding net weights.

产品介绍 PRODUCT INTRODUCTION

石笼是一种由扭曲的六角形开口或焊接的正方形或矩形开口的金属丝网制成的块状元件，其中填充天然石材用于河流、丘陵保护或建筑。石笼网挡土墙的灵活性、坚固性和高排水能力。

Gabion box is an element in the form of blocks made of wire mesh nettings of twisted hexagonal opening or welded square or rectangular openings, which is filled with natural stone for river, hill protection or construction. Gabion retaining walls are used for their flexibility, robustness and high drainage capacity.



产品规格 PRODUCT SPECIFICATIONS

网箱尺寸 Size						备注 Notes	公差范围 The tolerance
长(m)	宽(m)	高(m)	隔片数量(unit)	体积(m³)			
2.00	1.00	0.30	1	0.60			
3.00	1.00	0.30	2	0.90			
4.00	1.00	0.30	3	1.20			
2.00	1.00	0.50	1	1.00			
3.00	1.00	0.50	2	1.50			
4.00	1.00	0.50	3	2.00			
1.00	1.00	1.00	0	1.00			
1.50	1.00	1.00	0	1.50			
2.00	1.00	1.00	1	2.00			
3.00	1.00	1.00	2	3.00			
4.00	1.00	1.00	3	4.00			

长 ±3%
宽 ±5%
高 ±5%

碎石基础上的网箱结构

产品介绍 PRODUCT INTRODUCTION

雷诺垫，也被称为格宾网垫或石笼护垫，是一种由高镀锌钢丝编织而成的网状结构，主要用于河道及岸坡的防护。雷诺垫的主要作用是防止河岸被水流侵蚀，保护河岸的稳定性和完整性，有效防止河岸被水流冲刷，避免土壤流失和水土流失，从而保护生态环境。

Reno mattress, also known as gabion mattress or gabion mattress, is a mesh structure woven from high galvanized steel wire, mainly used for the protection of rivers and bank slopes. The main function of Reno mattress, is to prevent riverbanks from being eroded by water flow, protect the stability and integrity of riverbanks, effectively prevent riverbanks from being washed away by water flow, avoid soil erosion and water and soil loss, and thus protect the ecological environment.



产品规格 PRODUCT SPECIFICATIONS

通常，长度大于2米的床垫被按每米放置的隔片，划分成小隔间。

如果不需要隔片，应用书面清楚地说明，床垫所用的网规格符合EN10223-3 和A975-97.

Usually the mattresses having bigger length than 2meter is divided into compartments by panels (called diaphragm) positioned per meter.

If diaphragms not requested, it should be clearly stated by client, the mesh used in mattresses strictly conforms to EN10223-3 and A975-97.

长 Length(m)	宽 Width(m)	高 Height(m)	孔径 Aperture(m)
3.0	2.0	0.17-3	6*8
4.0	2.0	0.17-3	6*8
5.0	2.0	0.17-3	6*8
6.0	2.0	0.17-3	6*8
7.0	2.0	0.17-3	6*8

产品介绍 PRODUCT INTRODUCTION

景观石笼网是一种结合了石笼网技术和保护环境人文自然原则的工程解决方案。它通常由耐腐蚀的金属丝网或网格箱构成，内部填充着坚固的天然材料，如石块或岩石碎片。这种材料和结构的设计具有良好的成型塑性，允许在景观设计中不同大小和形状的石块来创建不同的景观特点和造型。

Landscape gabion mesh is an engineering solution that combines gabion net technology with the principles of protecting the environment, culture, and nature. It is usually composed of corrosion-resistant metal wire mesh or mesh boxes, filled with sturdy natural materials such as stones or rock fragments. The design of this material and structure has good formability, allowing the use of stones of different sizes and shapes in landscape design to create different landscape features and shapes.



产品介绍 PRODUCT INTRODUCTION

六角网是一种金属线材编织的角形网，也被称为拧花网或软边网。这种网状结构以其独特的六角形状而得名，其编织方式包括正捻和正反捻，使用的金属线材可以是镀锌层的金属线或PVC包覆的金属线。

Hexagonal wire mesh is a type of metal wire woven angular mesh, also known as twisted mesh or soft edge mesh. This mesh structure is named after its unique hexagonal shape, and its weaving methods include positive and negative twisting. The metal wire used can be galvanized or PVC coated.



产品规格 PRODUCT SPECIFICATIONS

以高品质低碳钢丝为主要原料，我们可以产镀锌、热镀锌、PVC涂层，品种如下：

1. 先编后电镀六角网
2. 先电镀后编六角网
3. 先编后热镀锌六角网
4. 先热镀锌后编六角网
5. PVC涂层六角网

its materials with high quality low carbon steel wire as our leading goods, we can make electro galvanized, hot dipped galvanized and PVC coated, the varieties are as follows:

1. Electro galv. hexagonal wire netting: galv. after weaving
2. Electro galv. hexagonal wire netting: galv. before weaving
3. Hot dipped galv. hexagonal wire netting: galv. after weaving
4. Hot dipped galv. hexagonal wire netting: galv. before weaving
5. PVC coated hexagonal wire netting

产品介绍 PRODUCT INTRODUCTION


席型网,也称为密纹网,是由优质不锈钢丝编织而成,其最大的特点是经向、纬向丝径和密度有较大的反差,这使得席型网的厚度、过滤精度及使用寿命比方孔网有明显的提高。它的过滤精度是方孔网布无法实现的,因此席型网在过滤效率和耐用性方面具有显著优势。

Dutch Cloht Wire Mesh, also known as dense mesh, is woven from high-quality stainless steel wire. Its biggest feature is the significant contrast in warp and weft wire diameter and density, which significantly improves the thickness, filtration accuracy, and service life of seat mesh compared to perforated mesh. Its filtration accuracy cannot be achieved by square mesh fabric, so the mat mesh has significant advantages in filtration efficiency and durability.

产品特点 PRODUCT FEATURES

席型网的特点主要包括网面光洁、硬度高、不断网、不变形、耐高温、耐腐蚀、走网灵活,具有卓越的过滤性能,过滤精度高,负荷强度高,耐高温、耐低温等。

The characteristics of Dutch Cloht Wire Mesh mainly include smooth mesh surface, high hardness, continuous mesh, no deformation, high temperature resistance, corrosion resistance, flexible mesh movement, excellent filtration performance, good filtration accuracy, high load strength, high temperature resistance, low temperature resistance, etc.



产品介绍 PRODUCT INTRODUCTION

方眼网别名筛网和平网。方眼网可分为电镀锌方眼网、热镀锌方眼网,由镀锌铁丝、不锈钢丝、铜丝及铝丝等编织而成,网目从1目到60目。结构精密,网眼均匀,具有抗腐蚀性好和结实耐用等特点。方眼网的材料有软质黑铁丝,电镀锌丝,热镀锌丝,低碳钢丝,黄铜丝,紫铜丝,铝合金丝,铝丝,方眼网的编织结构有平纹编织,斜纹编织,也可冲压成各种过滤网片。

Square wire mesh alias screen mesh and flat mesh. Square wire mesh can be divided into electric galvanized square wire mesh, hot galvanized square wire mesh. Woven from galvanized iron wire, unembroidered steel wire, copper wire and aluminum wire, mesh from 1 to 60 mesh. Precision structure, uniform mesh, good corrosion resistance and durability. The materials of square wire mesh include soft black iron wire, electric galvanized wire, hot galvanized wire, mild steel wire, brass wire, copper wire, aluminum alloy wire and aluminum wire. Square wire mesh weave structure has plain weave, twill weave, also can press into a variety of filters.



产品规格 PRODUCT SPECIFICATIONS

目数 Mesh Size	丝径 Wire Diameter		丝径 Aperture		开孔面积 % Open Area	网重(磅)/100平方英尺 Net weight (pounds)/100 square feet
	英寸 Inch	毫米 Millimeter	英寸 Inch	毫米 Millimeter		
1x1	0.08	2.03	0.92	23.37	84.6	41.1
2x2	0.063	1.6	0.437	11.1	76.4	51.2
3x3	0.054	1.37	0.270	7.09	70.1	56.7
4x4	0.063	1.6	0.187	4.75	56	104.6
4x4	0.047	1.19	0.203	5.16	65.9	57.8
5x5	0.041	1.04	0.150	4.04	63.2	54.0
6x6	0.035	0.89	0.132	3.35	62.7	48.1
8x8	0.028	0.71	0.097	2.46	60.2	41.1
10x10	0.025	0.64	0.075	1.01	56.3	41.2
12x12	0.023	0.584	0.06	1.52	51.8	42.2
14x14	0.023	0.584	0.048	1.22	45.2	49.8
16x16	0.018	0.457	0.0445	1.13	50.7	34.5
18x18	0.017	0.432	0.0386	0.98	48.3	34.8
20x20	0.02	0.508	0.03	0.76	36	55.2
24x24	0.014	0.356	0.0277	0.7	44.2	31.8
30x30	0.013	0.33	0.0203	0.52	37.1	34.8

轧花网

CRIMPED WIRE MESH

产品介绍 PRODUCT INTRODUCTION


轧花网是由轧花机经过轧花再经过新型织网机对不同材质不同规格金属丝编织而成的成方形网孔，具有多种用途的丝网产品，根据材质不同还可称为铁丝轧花网、镀锌轧花网、白钢轧花网、黑钢轧花网、不锈钢轧花、盘条轧花网、铜包钢轧花网。根据用途不同轧花网还可成为矿筛轧花网、养猪轧花网、烧烤轧花网、粮仓轧花网、装饰轧花网。

The crimped wire mesh is a square wire mesh, which is made of the wire of different materials and different specifications, and has a variety of USES. According to different materials, it can also be called wire mesh, galvanized wire mesh, white steel wire mesh, black steel wire mesh, stainless steel wire mesh, wire rod wire mesh, copper clad steel wire mesh. According to different USES, it can also be used as a screen, pig, barbecue, granary and decoration.

产品特点 PRODUCT FEATURES

轧花网的特点主要包括耐高温、耐酸、耐碱、耐腐蚀、耐磨损、结构美观、坚固耐用、网面平整、抗冲力强、耐磨、成本低、网孔长期保持均匀、美观等。

The characteristics of crimped wire mesh mainly include high temperature resistance, acid resistance, alkali resistance, corrosion resistance, wear resistance, beautiful structure, durability, flat mesh surface, strong impact resistance, wear resistance, low cost, long-term uniform mesh size, and beauty.



产品规格 PRODUCT SPECIFICATIONS

材料：黑钢丝、白钢丝、铅丝、不锈钢丝等。

编辑及特点：先轧后编，双向鸽波弯曲、紧锁弯曲、平顶弯曲、双向弯曲、单向隔波弯曲；结构坚固。


用途：多用于矿山、煤矿、建筑等行业。

Materials: Black steel wire, Galvanized steel wire, Lead wire, Stainless steel wire, etc.

Weaving and characteristics: weaving after crimp, the structure is strong.

Uses: most used in mine, coal factory, construction etc. professions.

丝径 (mm) Wire Diameter	孔径 (mm) Aperture	网目 Mesh	长度 (m) Length	重量 (kg) Weight
4.00	40	0.58	30	142
4.00	30	0.75	30	182
4.00	25	0.87	30	213
3.2	25	0.87	30	141
3.2	20	1.1	30	169
2.6	20	1.12	30	116
2.6	18	1.23	30	127
2.6	15	1.44	30	173
2.0	15	1.49	30	92
2.0	12	1.8	30	110
2.0	10	2.12	30	127
2.0	8	2.54	30	155
1.8	7	3	30	149
1.8	6	3.25	30	161
1.6	7	3	30	117
1.6	6	3.35	30	131
1.6	5	3.65	30	150
1.6	4	4.5	30	176
1.6	3	5.5	30	215
1.4	6	3.5	30	105
1.4	5	4	30	120
1.4	4	4.7	30	140
1.2	8	2.7	30	59
1.2	7	3.1	30	68
1.2	6	3.5	30	77



勾花网

CHAIN LINK MESH

产品介绍 PRODUCT INTRODUCTION

勾花网又名菱形网、勾丝网、活络网、勾网等，是使用各种材质的金属丝由勾花网机钩编而成，可分为缩把、握边两种，可广泛用于公路、铁路、高速公路等护栏网设施。

Chain link mesh, also known as diamond net, hook wire mesh, movable net, hook net, etc., is made of various materials of metal wire crocheted by a hook net machine. It can be divided into two types: shrink handle and grip edge, and can be widely used in guardrail facilities such as highways, railways, and expressways.



产品规格 PRODUCT SPECIFICATIONS

电镀锌菱形网每平方米上锌量10-15g;热镀锌勾花网每平方米上锌量35-50,50-70,220-300克;PVC涂塑菱形网(绿色、黑色等)加尔凡(Zn5AL)涂塑勾花网。

Electro Galvanized Diamond Wire Mesh with 10-15g per Square Meter ZincCoating; Hot Dipped Galvanized Chain Link Fence With 35-50,50-70,220-300g perSquare MeterZinc Coating; PVC Coated Diamond Wire Mesh (Green, Black,etc.)

GALFAN (Zn5AL)coated chain link fence.

规格 Specifications	丝径 (mm) Wire Diameter	网孔 (mm) Mesh	净重 Net Weight
10*20	1.80	50*50	1.7
10*30	1.90	50*50	1.9
10*40	2.00	50*50	2.1
1.20*2.00	1.80	50*50	2.45
1.50*2.00	1.90	50*50	2.73
1.20*2.50	1.80	50*50	3.02
1.20*3.00	1.90	50*50	3.37
1.20*4.00	2.00	50*50	3.73
1.25*4.00	1.80	50*50	6.38
1.25*6.00	1.90	50*50	7.31

刀片刺绳

BLADE BARBED WIRE

产品介绍 PRODUCT INTRODUCTION

刀片刺绳也叫刀片刺绳网或者刀片类型的刺绳。它是由热镀锌钢板或不锈钢板制成，具有较好的防护性和防护强度 的现代安全防护材料。刀片刺绳具有刀刃美观、锋利、芯线坚固等特点，具有护栏牢固、安装方便、耐老化等特点。

Blade barbed wire, also known as blade barbed wire mesh or blade type barbed wire. It is a modern safety protection material made of hot-dip galvanized steel plate or stainless steel plate, with good protection and strength. Blade barbed wire has the characteristics of beautiful and sharp blade edge, strong core wire, firm guardrail, easy installation, and aging resistance.



产品规格 PRODUCT SPECIFICATIONS

Razor Blade Type and Specification (刀片规格)						
Reference Number	Blade Style	Thickness (mm)	Wire Dia (mm)	Barb Length (mm)	Barb Width (mm)	Barb Spacing (mm)
BTO-12		0.5±0.05	2.5±0.1	12±1	15±1	26±1
BTO-15		0.5±0.05	2.5±0.1	15±1	15±1	33±1
BTO-22		0.5±0.05	2.5±0.1	22±1	15±1	34±1
BTO-30		0.5±0.05	2.5±0.1	30±1	18±1	45±1
CBT-25		0.5±0.05	2.5±0.1	25±1	16±1	40±1
CBT-60		0.6±0.05	2.5±0.1	60±2	32±1	100±2
CBT-65		0.6±0.05	2.5±0.1	65±2	21±1	100±2

刺绳

BARBED WIRE

产品介绍 PRODUCT INTRODUCTION

刺绳是一种由刺绳机编制而成的,用于防御的一种措施,也被称为刺丝或刺线。刺绳通常由铁丝制成,具有强大的耐磨性和防御性。它们用于各种边界的防御、防护等。

A barbed wire is a defensive measure made by a barbed wire machine, also known as a barbed wire or thread. Thorn ropes are usually made of iron wire, which has strong wear resistance and defense. They are used for defense and protection of various boundaries.



产品规格 PRODUCT SPECIFICATIONS

线材: 镀锌钢丝、PVC涂塑丝

颜色包括: 蓝色、绿色、黄色等和其他颜色。

用途: 主要用于草坪、铁路、公路的防护,也广泛用于军事、监狱、工业、农业、畜牧业、民居、围栏种植园。

Wire Materials: Galvanized steel wire,PVC coated iron wire in blue,green,yellow and other colors.

Usage: Barbed Wire mainly serves in protectingof grass boundary,rail-way,highway andalso widelyusedin military,jail,industry,agriculture,animal husbandry,dwellinghouse,plantationforfencing.

刺绳线径和倒钩间距 Gauge of Strand and Barb	每公里的大致长度 (单位: 米) Approximate Length per kilo in Meter			
	倒钩间距3" barbs spacing 3"	倒钩间距4" barbs spacing 4"	倒钩间距5" barbs spacing 5"	倒钩间距6" barbs spacing 6"
12x12	6.0617	6.7590	7.2700	7.6376
12x14	7.3335	7.9051	8.3015	857
12-1/2x12-1/2	6.9223	7.7190	8.3022	8.7221
12-1/2x14	8.1096	8.814	9.2242	9.5620
13x13	7.9808	8.899	9.5721	10.0553
13x14	8.8148	9.6899	10.2923	10.7146
13-1/2x14	9.6079	10.6134	11.4705	11.8553
14x14	10.4569	11.6590	12.5423	13.1752
14-1/2x14-1/2	11.9875	13.3871	14.3781	15.1034
15x15	13.8927	15.4942	16.666	17.5070
15-1/2x15-1/2	15.3491	17.1144	18.4060	19.3386


钢板网

EXPANDED METAL MESH

产品介绍 PRODUCT INTRODUCTION

钢板网是金属筛网的行业中一个品种。又名金属板网、菱形网、铁板网、金属扩张网、重型钢板网、脚踏网、冲孔板铝板网、不锈钢钢板网、粮仓网、天线网、滤芯网、音响网等。

Expanded metal meshis a kind of metal screen mesh industry.Also known as metalmesh,diamond mesh, iron mesh,metal expansion mesh,heavy steel mesh,foot mesh,punching plate'aluminum mesh,stainless steel mesh,granary mesh,antenna mesh,filter core mesh,audio network,etc




产品规格 PRODUCT SPECIFICATIONS

板厚(mm) Plate thickness	网孔宽(mm) Mesh width	网孔长(mm) Mesh hole length	网梗宽(mm) Net board stem width	网宽(mm) Net width	网长(mm) Net length	重量(kg/m) Weight
0.5	2.5	4.5	0.5	0.5	1	1.8
0.6	10	25	1	0.6	2	1
0.8	10	25	1	0.6	2	1.25
1	10	25	1.1	0.6	2	1.77
1.2	10	25	1.1	2	4	2.21
1.5	15	40	1.5	1.8	4	2.77
2	18	50	2.1	2	4	3.69

产品介绍 PRODUCT INTRODUCTION

冲孔网是一种在同材料上打上不同形状的孔，以适应不同需求的产品。它通常被称为冲孔板、多孔板、穿孔板或矿筛网。冲孔网的应用范围非常广泛，包括但不限于能源化工、空分石化装备、农业装备、粮油机械、汽车制造、航空航天、园林景观、装饰装修等行业。

is a type of product where holes of different shapes are punched into the same material to meet different needs. It is commonly referred to as perforated plate, porous plate, perforated plate, or mineral sieve mesh. The application scope of perforated mesh is very wide, including but not limited to industries such as energy and chemical, air separation and petrochemical equipment, agricultural equipment, grain and oil machinery, automobile manufacturing, aerospace, landscaping, decoration and renovation.



产品特点 PRODUCT FEATURES

冲孔网的特点主要包括易于加工成型、可以喷漆或抛光、易于安装、引人注目的外观、各种厚度的板材、多种选择的孔径和排列方式、良好的吸音效果、较轻的重量、较长的使用寿命、精确的尺寸。

The perforated mesh of punched mesh mainly include easy processing and shaping, spray painting or polishing, easy installation, eye-catching appearance, various thicknesses of boards, multiple choices of aperture and arrangement, good sound absorption effect, lighter weight, longer service life, and precise size.



产品介绍 PRODUCT INTRODUCTION

涂塑丝PVC PE是一种通过深加工处理，将塑料与镀锌铁丝牢固结合在一起的产品。这种涂塑丝具有抗老化、抗腐蚀、防龟裂等特点，其使用寿命远超冷镀锌铁丝。

Coated wire PVC PE with plastic wire is a product that is firmly bonded to galvanized iron wire through deep processing. The plastic coated wire has the characteristics of aging resistance, corrosion resistance and crack resistance, and its service life is far longer than that of cold and hot galvanized iron wire.

